

**HIGH-PERFORMING  
QUALITY COMPACTION  
EQUIPMENT**



**HUSQVARNA COMPACTION EQUIPMENT**

**LF 80 L**

Product Specifications

WEIGHT

**84 kg**

SPEED

**33 m / min**

VIBRATING FREQUENCY

**95 Hz**

ENGINE POWER

**3.6 kW**





# GETTING THE WORK DONE FAST AND EASY

Our forward plates all have one thing in common – they keep you going without interruption. The part of the range specialised in granular soil has been designed for compacting thin to medium layers. Silt and gravel require good climbing capacity, high centrifugal forces and high speeds. Husqvarna LF 80 is fast and it belongs to the most powerful machines on the market weighing less than 100 kg.

All LF compactors are factory prepared for mounting a block paving kit to protect paving blocks from cracking. The patented low vibration handle is standard, and designed to minimize strain on your hands and arms as well as contribute to a safer, more productive and enjoyable workday.



☎ 1300 BROOKS (276 657)

@ [service@brooksequipment.com.au](mailto:service@brooksequipment.com.au)

🌐 [www.brooksequipment.com.au](http://www.brooksequipment.com.au)

**BROOKS**  
EQUIPMENT



# FORWARD PLATE COMPACTORS > SOIL



## DAMPING VIBRATION

In addition to the standard handle, all forward plates are equipped with a patented vibration damping handle that lowers the vibration levels below  $2 \text{ m/s}^2$ , allowing for a full day's work.

## SAVING SPACE

The handle completely folds over making transport and storage easier.

## EASY LIFTING

The machine has a standard lifting eye for crane lifting. It's positioned to keep the machine in balance during lifting.

HUSQVARNA LF 80 L



## FAST AND POWERFUL

According to customer feedback, Husqvarna LF 80 is among the fastest and most powerful machines in its weight class.

## LONG BELT-LIFE

The lifespan of the V-belt is increased thanks to a cooling fan and a ventilated cover.

## SMOOTH RESULT

The bottom plates have rounded edges to avoid marking the surface.

## HUSQVARNA LF/LX SERIES



LF 130 LT

LF 100 L

LF 80 L

LF 75 L

LF 50 L

LX 90



1300 BROOKS (276 657)

@ service@brooksequipment.com.au

www.brooksequipment.com.au

**BROOKS**  
EQUIPMENT







LT 8005, LT 6005,  
LT 5005

LF 130

LF 100

LF 80

LF 50

LX 90

LP 9505

LH 804, LH 700

LG 504

LG 400

LG 300

LG 204

LG 164


LP 6505



or static compaction



or static compaction



Maximum depth at 4 passes LP rollers at 8 passes.

- Rockfill/macadam
- Sand/gravel
- Silt
- Clay
- Subbase
- Base

All figures are to be considered indicative as soils may vary and impact compaction results.



1300 BROOKS (276 657)  
 @ service@brooksequipment.com.au  
 www.brooksequipment.com.au

**BROOKS**  
EQUIPMENT





**BROOKS**  
EQUIPMENT

☎ 1300 BROOKS (276 657)  
 @ service@brooksequipment.com.au  
 🌐 www.brooksequipment.com.au

**Husqvarna**<sup>®</sup>

*Authorised Dealer in Australia*