

**HIGH-PERFORMING
QUALITY COMPACTION
EQUIPMENT**



HUSQVARNA COMPACTION EQUIPMENT

LP6505

Product Specifications

WEIGHT

745 kg

SPEED

0 - 3.6 km / h

VIBRATING FREQUENCY

58 Hz

ENGINE POWER

7.2 kW



SPEEDING UP THE HEAVY WORK

Our range of double drum rollers – Husqvarna LP 6505 and LP 7505 – are ideal for compacting thin layers on granular soils and asphalt. The high centrifugal force and speed of the LP range let you get more done in less time. These machines are fully hydraulic, both for vibration and travel.

The compact design with high curb clearance, no overhang and sleek sides allows you to go close to walls, posts or edges – basically anywhere your work may take you. Switching vibration on and off is easy on both our duplex rollers, and thanks to the vibration-reducing handle design you can work longer hours.

Both LP 6505 and LP 7505 are equipped with scrapers to keep the drums clean, and hydraulic brakes with an automatic braking function for easy operation and higher safety. Other standard features include hour meter and oil alert. Two flip-up hoods facilitate service and battery charging. A built-in hydraulic oil cooler reduces wear on components and prolongs service intervals. It also extends the lifetime of the hydraulic hoses, sealings and connectors.




☎ 1300 BROOKS (276 657)

@ service@brooksequipment.com.au

🌐 www.brooksequipment.com.au

BROOKS
EQUIPMENT

DOUBLE DRUM ROLLERS



LOW VIBRATION LEVELS

Vibration-damping handle. Easy handling.
Push stop is standard.

HEAVY LIFTING MADE EASY

The heavy-duty protection frame is equipped with a single point lifting eye for easy transportation.

HUSQVARNA LP 6505



EFFECTIVE ENGINE

Powerful engine with low fuel consumption and low emissions.
Hour meter and oil alert for optimal control.

LONG LIFE

Built-in hydraulic oil cooler extends component lifetime and increases reliability in tough, hot conditions.

EASY TO SERVICE

Flip-up hoods gives easy access to service points and battery.

EASY HANDLING

Automatic Hydraulic brakes for easier handling and enhanced safety.

HUSQVARNA LP SERIES



LP 7505


LP 6505



1300 BROOKS (276 657)
@ service@brooksequipment.com.au
www.brooksequipment.com.au

BROOKS
EQUIPMENT


FORWARD AND REVERSIBLE PLATE COMPACTORS – LG SERIES SMALL



	LG 300						LG 204				LG 164				
Engine	Honda GX270	Honda GX270	Hatz 1B30	Hatz 1B30	Hatz 1B30	Hatz 1B30	Honda GX200	Hatz 1B20	Hatz 1B20	Hatz 1B20	Honda GX160	Honda GX160	Hatz 1B20	Hatz 1B20	Hatz 1B20
Power, kW	5.3	5.3	4.7	4.7	4.7	4.7	4.1	3.1	3.1	3.1	3.6	3.6	3.1	3.1	3.1
Fuel	Petrol	Petrol	Diesel	Diesel	Diesel	Diesel	Petrol	Diesel	Diesel	Diesel	Petrol	Petrol	Diesel	Diesel	Diesel
Operating weight, kg	270	265	287	282	307	302	211	228	251	244	157	148	185	170	166
Frequency, Hz	68	68	68	68	68	68	65	65	65	65	80	80	80	80	80
Centrifugal force, kN	40	40	40	40	40	40	36	36	36	36	28	28	28	28	28
Speed, r/min	25	25	25	25	25	25	23	22	22	22	22	22	22	22	22
H/A handle vibrations m/s ²	2.4	2.4	1.7	1.7	1.7	1.7	3.5	2.8	2.8	3.4	2.3	2.3	2.8	3.5	3.2
Sound power, guaranteed, LWA, dB(A)	108	108	108	108	108	108	106	108	108	108	108	108	108	108	108
Sound pressure at operators ear, LWA, dB(A)	95	95	95	95	95	95	84	93	93	85.1	82.4	81.9	93	84	84.1
Plate width, mm	600	500	600	500	600	500	500	500	600	500	450	350	600	450	350
LxWxH, mm	1385x600x1120	1385x500x1120	1385x600x1120	1385x500x1120	1385x600x1120	1385x500x1120	1334x500x1126	1334x500x1126	1334x600x1126	1334x500x1126	119x450x1069	119x350x1069	119x600x1069	119x450x1069	119x350x1069
PART NUMBERS															
Manual start	967 85 53-02	967 85 53-01	967 85 53-05	967 85 53-04	—	—	967 85 52-01	967 85 52-05	—	—	967 85 56-01	967 85 56-02	967 89 76-04	967 89 76-02	967 89 76-01
Electric start	—	—	—	—	967 85 53-06	967 85 53-07	—	—	967 85 52-03	967 85 52-06	—	—	—	—	—

ACCESSORIES/OPTIONAL	LG 300						LG 204				LG 164				
Block paving kit	594 83 03-01	594 83 02-01	594 83 03-01	594 83 02-01	594 83 03-01	594 83 02-01	594 82 58-01	594 82 58-01	594 75 96-01	594 82 58-01	594 83 01-01	595 36 85-01	594 75 95-01	594 83 01-01	595 36 85-01
Transport device	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01	594 83 05-01

FORWARD AND REVERSIBLE PLATE COMPACTORS – LG SERIES MEDIUM



	LG 504			LG 400	
Engine	Hatz 1D81Z	Hatz 1D81Z	Hatz 1D81Z	Honda GX 390	Lombardini 15LD 440/S (Kohler)
Power, kW	9.2	9.2	9.2	8.3	6.2
Fuel	Diesel	Diesel	Diesel	Petrol	Diesel
Operating weight, kg	513	499	470	398	436
Frequency, Hz	69	69	69	60	60
Centrifugal force, kN	65	65	65	52	52
Speed, m/min	32	32	32	25	25
H/A handle vibrations m/s ²	2.5	2.5	2.5	2.5	2.1
Sound power, guaranteed, LWA, dB(A)	—	109	—	108	108
Sound pressure at operators ear, LPA, dB(A)	98	98	98	95	93
Plate width, mm	850 (550+2x150)	700 (550+2x75)	550	650	650
LxWxH, mm	1670x850x1190	1670x750x1190	1670x550x1190	1690x650x1150	1690x650x1150
PART NUMBERS					
Manual start	967 85 55-10	967 85 55-09	967 85 55-08	967 85 54-01	—
Electric start	967 85 55-11	967 85 55-07	967 85 55-06	—	967 89 64-03
Electric start and compaction indicator	967 85 55-12	967 85 55-05	967 85 55-04	—	967 89 64-01

ACCESSORIES/OPTIONAL	LG 504			LG 400	
Extension plate kit 2x75 mm	594 75 87-01	594 75 87-01	594 75 87-01	—	—
Extension plate kit 2x150 mm	594 75 88-01	594 75 88-01	594 75 88-01	—	—
Block paving kit	—	595 12 89-01	—	594 44 79-02	594 44 79-02

1300 BROOKS (276 657)

@ service@brooksequipment.com.au


www.brooksequipment.com.au



BROOKS
EQUIPMENT



DOUBLE DRUM ROLLERS



	LP 9505	LP 7505		LP 6505	
Engine	Kubota D1105	Hatz 1D505	Hatz 1D505	Hatz 1D425	Hatz 1D425
Power, kW	18.1	7.9	7.9	7.2	7.2
Fuel	Diesel	Diesel	Diesel	Diesel	Diesel
Operating weight, kg	1675	981	1001	745	765
Frequency, Hz	42	57	57	58	58
Centrifugal force, kN	72/36 (high/low)	27	27	22	22
Speed, forward / reverse, km/h	0-2.7	0-3.6	0-3.6	0-3.6	0-3.6
H/A handle vibrations m/s ²	N/A	2.6	2.6	4.1	4.1
Sound power, guaranteed, dB(A)	106	107	107	107	107
Sound pressure at operators ear, dB(A)	N/A	88	88	88	88
Drum diameter, mm	523	400	400	400	400
Drum width, mm	850	750	750	650	650
LxWxH, mm	1856x850x1369	1110/2500x820x1260	1110/2500x820x1260	1110/2500x720x1215	1110/2500x720x1215
PART NUMBERS					
Manual start	—	967 89 74-01	—	967 85 57-02	—
Electric start	967 95 08-01	—	967 89 74-02	—	967 85 57-03

ACCESSORIES/OPTIONAL	LP 9505	LP 7505		LP 6505	
Safety crank handle kit	—	594 17 09-01	594 17 09-01	594 17 09-01	594 17 09-01

LT 8005, LT 6005,
LT 5005

LF 130

LF 100

LF 80

LF 50

LX 90

LP 9505

LH 804, LH 700

LG 504

LG 400

LG 300

LG 204

LG 164


LP 6505



or static compaction



or static compaction



Maximum depth at 4 passes LP rollers at 8 passes.

- Rockfill/macadam
- Sand/gravel
- Silt
- Clay
- Subbase
- Base

All figures are to be considered indicative as soils may vary and impact compaction results.



1300 BROOKS (276 657)
 @ service@brooksequipment.com.au
 www.brooksequipment.com.au

BROOKS
EQUIPMENT



📞 1300 BROOKS (276 657)
 @ service@brooksequipment.com.au
 🌐 www.brooksequipment.com.au

BROOKS
EQUIPMENT

Husqvarna[®]

Authorised Dealer in Australia