

BROOKS
EQUIPMENT

Husqvarna[®]

**HIGH-PERFORMING
QUALITY COMPACTION
EQUIPMENT**



HUSQVARNA COMPACTION EQUIPMENT

LT 6005

Product Specifications

WEIGHT

70 kg

SPEED

15-18 m / min

VIBRATING FREQUENCY

12 Hz

ENGINE POWER

2.7 kW



MASTERING THE TOUGHEST SOILS

Clay and silt are the toughest soils mother nature has to offer. To compact them you need high impact force and speed – and that's what the Husqvarna LT 5005 and LT 6005 tamping rammers deliver. Equipped with the purpose-built Honda GXR120 petrol engine, which is designed specifically for rammers, they will give you all the force you need with superb control, low noise and low emission. Start-up is always easy, even if you use your rammer less frequently.

Husqvarna LT rammers are ideal for trench and sewage systems, gardening and landscaping, compaction on backfill, foundations, patching and repairs. And despite their low weight, they still deliver the deep compaction you need

thanks to a combination of high centrifugal force and speed. They are easy to transport with rollers on the steering bar and lifting handle on the foot. The optional transport wheels make transportation even easier and also prevent excessive wear to the shock absorbers.

KEEP YOUR RAMMER IN SHAPE

Service saves you time and money. Thanks to smart design and high-quality components, maintenance is no hassle. All service points are easy to reach and most service work can be done on site. Use original parts and do regular servicing to ensure less downtime and longer service life.



☎ 1300 BROOKS (276 657)
@ service@brooksequipment.com.au
🌐 www.brooksequipment.com.au

BROOKS
EQUIPMENT

TAMPERS



HUSQVARNA LT 6005

THROTTLE CONTROL

Three fixed positions for the throttle control, stop (gas line fully closed), idle and full speed.

GET CLOSER

The slimmed handles of the LT 5005 and LT 6005 enhances the ability to work in narrow spaces or close to obstacles.

LESS WEAR

A stopper prevents excessive wear on the shock absorbers during lifting and transporting.

SERVICE FRIENDLY

Easy access to all service points. The air filter can be replaced without using tools.

EASY TRANSPORT

The single lifting point and the roller on the front handle frame make transportation easier.

GREAT TRACTION

Balanced design gives excellent traction and maneuverability.

GRAB AND LOAD

Lifting handle on the back of the foot facilitates loading and transporting.

COMPACTION PERFORMANCE

High impact force and speed give outstanding compaction efficiency.

HUSQVARNA LT SERIES

LT 8005



LT 6005



LT 5005



☎ 1300 BROOKS (276 657)

@ service@brooksequipment.com.au

🌐 www.brooksequipment.com.au

BROOKS
EQUIPMENT

LT 8005, LT 6005,
LT 5005

LF 130

LF 100

LF 80

LF 50

LX 90

LP 9505

LH 804, LH 700

LG 504

LG 400

LG 300

LG 204

LG 164


LP 6505



or static compaction



or static compaction



Maximum depth at 4 passes LP rollers at 8 passes.

- Rockfill/macadam
- Sand/gravel
- Silt
- Clay
- Subbase
- Base

All figures are to be considered indicative as soils may vary and impact compaction results.



1300 BROOKS (276 657)
 @ service@brooksequipment.com.au
 www.brooksequipment.com.au





📞 1300 BROOKS (276 657)
 @ service@brooksequipment.com.au
 🌐 www.brooksequipment.com.au

BROOKS
EQUIPMENT

Husqvarna[®]

Authorised Dealer in Australia